Application No. Applicant(s) 10/661,500 SATO ET AL. Notice of Allowability Examiner Art Unit Mark R. Milia 2625 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to the amendment received on 6/5/08. 2. The allowed claim(s) is/are 1-18. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:

 IXI Certified copies of the priority documents have been received. 	
 Certified copies of the priority documents have been received in Application No 	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the	
International Bureau (PCT Rule 17.2(a)).	
* Certified copies not received:	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this conted below. Failure to timely comply will result in ABANDONMENT of t THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") must be sub-	mitted.
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date	
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of	
Paper No./Mail Date	
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
Attachment(s)	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary (PTO-413), Paper No./Mail Date
 Information Disclosure Statements (PTO/SB/08), 	7. Examiner's Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. ■ Examiner's Statement of Reasons for Allowance
of Biological Material	Examiner's Statement of Reasons for Allowance
	9. Other

Application/Control Number: 10/661,500 Page 2

Art Unit: 2625

DETAILED ACTION

Response to Amendment

 Applicant's amendments were received on 4/28/08 and 6/5/08 and have been entered and made of record. Currently, claims 1-18 are pending.

Response to Arguments

2. Applicant's arguments, see pages 11-12 of the remarks, filed 6/5/08, with respect to claims 1, 11, 12, 14, and 18 have been fully considered and are persuasive. The rejection of claims 1-18 has been withdrawn.

Allowable Subject Matter

- Claims 1-18 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose, teach, or suggest the claimed limitations of (in combination with all other limitations in the claims), a switching unit configured to judge whether the content data received by the substitutional sending/receiving unit is suitable for capabilities of the LAN terminal, configured to cause the transfer unit to operate when judging that the content data is suitable for the

Application/Control Number: 10/661,500

Art Unit: 2625

capabilities of the LAN terminal, and configured to cause the image formation requesting unit to operate when judging that the content data is not suitable for the capabilities of the LAN terminal, wherein the switching unit <u>directly</u> causes the image formation requesting unit to operate by <u>sending operating instructions</u> to the image formation requesting unit, and the image formation requesting unit, which is configured to receive the operating instructions from the switching unit, causes based on the operating instructions, the image formation unit to form the, as set forth in claim(s) 1, 11, 12, 14, and 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark R. Milia whose telephone number is (571)272-7408. The examiner can normally be reached M-F 8:00am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Moore can be reached at (571) 272-7437. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/661,500

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mark R. Milia Examiner Art Unit 2625

/Mark R. Milia/ Examiner, Art Unit 2625

/David K Moore/ Supervisory Patent Examiner, Art Unit 2625